







COUNTRY INDICATORS AND SDGS




TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2017	2022
Non-renewable (TJ)	2 132 030	1 906 699
Renewable (TJ)	166 976	207 313
Total (TJ)	2 299 007	2 114 012
Renewable share (%)	7	10


Growth in TES	2017-22	2021-22
Non-renewable (%)	-10.6	-10.0
Renewable (%)	+24.2	+7.7
Total (%)	-8.0	-8.5

Primary energy trade	2017	2022
Imports (TJ)	3 499 359	3 417 710
Exports (TJ)	1 490 562	1 579 124
Net trade (TJ)	-2 008 797	-1 838 586
Imports (% of supply)	152	162
Exports (% of production)	239	231
Energy self-sufficiency (%)	27	32

Total energy supply in 2022




Renewable energy supply in 2022




# RENEWABLE ENERGY CONSUMPTION (TFEC)

### Renewable TFEC trend




Consumption by sector	2017	2022
Industry (TJ)	61 665	78 377
Transport (TJ)	20 658	33 508
Households (TJ)	37 157	49 459
Other (TJ)	112 212	149 542

### Renewable energy consumption in 2022




# ELECTRICITY CAPACITY


### Installed capacity trend




### Renewable capacity in 2024




### Net capacity change (GW)



### Net capacity change in 2024 (MW)




### Capacity utilisation in 2023 (%)




## ELECTRICITY GENERATION

Generation in 2023	GWh	%
<b>Non-renewable</b>	<b>56 197</b>	<b>67</b>
<b>Renewable</b>	<b>27 473</b>	<b>33</b>
Hydro and marine	407	0
Solar	7 820	9
Wind	15 444	18
Bioenergy	3 802	5
Geothermal	0	0
<b>Total</b>	<b>83 669</b>	<b>100</b>



### Per capita electricity generation (kWh)




## LATEST POLICIES, PROGRAMMES AND LEGISLATION


- 1 [REPowerEU] Public lighting upgrade 2024
- 2 Act on product standards for the integration of energy from renewable sources into fossil fuels intended for the transport sector 2024
- 3 Belgium's REPowerEU 2024
- 4 Energy distribution optimisation- Walloon Region 2024
- 5 Energy import infrastructure 2024

## ENERGY AND EMISSIONS


### CO<sub>2</sub> emissions by sector



### Elec. & heat generation CO<sub>2</sub> emissions in




### Avoided emissions from renewable elec. & heat




Avoided emissions based on fossil fuel mix used for power

### CO<sub>2</sub> emission factor for elec. & heat generation




Calculated by dividing power sector emissions by elec. + heat gen.

Distribution of solar potential



Distribution of wind potential



Biomass potential: net primary production



Indicators of renewable resource potential

**Solar PV:** Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

**Onshore wind:** Potential wind power density (W/m<sup>2</sup>) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

**Biomass:** Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

**Sources:** IRENA statistics, plus data from the following sources: UN SDG Database (original sources: WHO: World Bank: IEA: IRENA: and UNSD): UN World Population Prospects: UNSD Energy Balances: UN COMTRADE: World Bank World Development Indicators: EDGAR: REN21 Global Status Report: IEA-IRENA Joint Policies and Measures Database: IRENA Global Atlas: and World Bank Global Solar Atlas and Global Wind Atlas.

**Additional notes:** Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (HS). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8,760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to [statistics@irena.org](mailto:statistics@irena.org).

**Last updated on:** 22 September, 2025