







COUNTRY INDICATORS AND SDGS





TOTAL ENERGY SUPPLY (TES)

Total Energy Supply (TES)	2017	2022
Non-renewable (TJ)	29 993	39 553
Renewable (TJ)	5 321	5 724
Total (TJ)	35 314	45 277
Renewable share (%)	15	13


Growth in TES	2017-22	2021-22
Non-renewable (%)	+31.9	+5.9
Renewable (%)	+7.6	+0.2
Total (%)	+28.2	+5.2

Primary energy trade	2017	2022
Imports (TJ)	13 969	12 822
Exports (TJ)	14 896	5 138
Net trade (TJ)	927	- 7 684
Imports (% of supply)	40	28
Exports (% of production)	37	13
Energy self-sufficiency (%)	113	91




# RENEWABLE ENERGY CONSUMPTION (TFEC)

### Renewable TFEC trend




Consumption by sector	2017	2022
Industry (TJ)	2,500	2,970
Transport (TJ)	0	0
Households (TJ)	1,932	2,276
Other (TJ)	4,276	3,891

### Renewable energy consumption in 2022




# ELECTRICITY CAPACITY


### Installed capacity trend




### Renewable capacity in 2024




### Net capacity change (MW)



### Net capacity change in 2024 (MW)




### Capacity utilisation in 2023 (%)




## ELECTRICITY GENERATION

Generation in 2023	GWh	%
<b>Non-renewable</b>	<b>741</b>	<b>39</b>
<b>Renewable</b>	<b>1 168</b>	<b>61</b>
Hydro and marine	1 151	60
Solar	11	1
Wind	0	0
Bioenergy	6	0
Geothermal	0	0
<b>Total</b>	<b>1 909</b>	<b>100</b>

### Per capita electricity generation (kWh)



### Electricity generation trend




## LATEST POLICIES, PROGRAMMES AND LEGISLATION


- 1 Second NDC of Suriname 2021
- 2 EITI Standard 2019
- 3 Capacity Building Program on RETs 2013
- 4 Caribbean Community (CARICOM) Energy Policy 2013
- 5 Development of Renewable Energy, Energy Efficiency and Electrification 2013

## ENERGY AND EMISSIONS


### CO<sub>2</sub> emissions by sector




### Elec. & heat generation CO<sub>2</sub> emissions in



### Avoided emissions from renewable elec. & heat




### CO<sub>2</sub> emission factor for elec. & heat generation




Avoided emissions based on fossil fuel mix used for power

Calculated by dividing power sector emissions by elec. + heat gen.

Distribution of solar potential



Distribution of wind potential



Biomass potential: net primary production



Indicators of renewable resource potential

**Solar PV:** Solar resource potential has been divided into seven classes, each representing a range of annual PV output per unit of capacity (kWh/kWp/yr). The bar chart shows the proportion of a country's land area in each of these classes and the global distribution of land area across the classes (for comparison).

**Onshore wind:** Potential wind power density (W/m<sup>2</sup>) is shown in the seven classes used by NREL, measured at a height of 100m. The bar chart shows the distribution of the country's land area in each of these classes compared to the global distribution of wind resources. Areas in the third class or above are considered to be a good wind resource.

**Biomass:** Net primary production (NPP) is the amount of carbon fixed by plants and accumulated as biomass each year. It is a basic measure of biomass productivity. The chart shows the average NPP in the country (tC/ha/yr), compared to the global average NPP of 3-4 tonnes of carbon

**Sources:** IRENA statistics, plus data from the following sources: UN SDG Database (original sources: WHO: World Bank: IEA: IRENA: and UNSD): UN World Population Prospects: UNSD Energy Balances: UN COMTRADE: World Bank World Development Indicators: EDGAR: REN21 Global Status Report: IEA-IRENA Joint Policies and Measures Database: IRENA Global Atlas: and World Bank Global Solar Atlas and Global Wind Atlas.

**Additional notes:** Capacity per capita and public investments SDGs only apply to developing areas. Energy self-sufficiency has been defined as total primary energy production divided by total primary energy supply. Energy trade includes all commodities in Chapter 27 of the Harmonised System (HS). Capacity utilisation is calculated as annual generation divided by year-end capacity x 8,760h/year. Avoided emissions from renewable power is calculated as renewable generation divided by fossil fuel generation multiplied by reported emissions from the power sector. This assumes that, if renewable power did not exist, fossil fuels would be used in its place to generate the same amount of power and using the same mix of fossil fuels. In countries and years where no fossil fuel generation occurs, an average fossil fuel emission factor has been used to calculate the avoided emissions.

These profiles have been produced to provide an overview of developments in renewable energy in different countries and areas. The IRENA statistics team would welcome comments and feedback on its structure and content, which can be sent to [statistics@irena.org](mailto:statistics@irena.org).

**Last updated on:** 22 September, 2025



IRENA Headquarters  
 Masdar City  
 P.O. Box 236, Abu Dhabi  
 United Arab Emirates  
[www.irena.org](http://www.irena.org)